



BOSCH STARTER DRIVES



2610

9 Teeth CW 10 Splines Spiral
3.830 O.A.L. 1.000 O.D. 0.475 I.D.
WAI# 54-9118 ACC# 3-684



2611

10 Teeth CW 10 Splines Spiral
3.590 O.A.L. 1.555 O.D. 0.565 I.D.
WAI# 54-9190 ACC# 3-1068



2754

11 Teeth CW 10 Splines Spiral
2.920 O.A.L. 1.600 O.D. 0.565 I.D.
WAI# 54-9120 ACC# 3-844



7065

9 Teeth CCW 10 Splines Spiral
2.470 O.A.L. 1.000 O.D. 0.430 I.D.
WAI# 54-9143 ACC# 3-400



7066

9 Teeth CCW 10 Splines Spiral
4.250 O.A.L. 1.000 O.D. 0.475 I.D.
WAI# 54-9135 ACC# 3-607



7067

9 Teeth CCW 10 Splines Spiral
2.440 O.A.L. 1.000 O.D. 0.430 I.D.
WAI# 54-9100 ACC# 3-346



7068

9 Teeth CW 10 Splines Spiral
4.250 O.A.L. 1.000 O.D. 0.475 I.D.
WAI# 54-9136 ACC# 3-608



7070

9 Teeth CW 10 Splines Spiral
3.590 O.A.L. 1.350 O.D. 0.565 I.D.
WAI# 54-9123 ACC# 3-675



7071

10 Teeth CW 10 Splines Spiral
3.590 O.A.L. 1.265 O.D. 0.565 I.D.
WAI# 54-9114 ACC# 3-669



7073

10 Teeth CW 10 Splines Spiral
3.590 O.A.L. 1.575 O.D. 0.565 I.D.
WAI# 54-9112 ACC# 3-666



7074

9 Teeth CW 10 Splines Spiral
2.900 O.A.L. 1.350 O.D. 0.565 I.D.
WAI# 54-9121 ACC# 3-674



7075

9 Teeth CW 10 Splines Spiral
3.590 O.A.L. 1.350 O.D. 0.565 I.D.
WAI# 54-9108 ACC# 3-673



7082

9 Teeth CW 10 Splines Spiral
2.700 O.A.L. 1.000 O.D. 0.475 I.D.
WAI# 54-9126 ACC# 3-601



7089

9 Teeth CW 10 Splines Spiral
2.520 O.A.L. 1.004 O.D. 0.475 I.D.
WAI# 54-9130 ACC#

SAME AS B10



7090

10 Teeth CW 10 Splines Spiral
2.700 O.A.L. 1.050 O.D. 0.475 I.D.
WAI# 54-9187 ACC# 3-610



7094

9 Teeth CW 10 Splines Spiral
2.520 O.A.L. 1.000 O.D. 0.475 I.D.
WAI# 54-9101 ACC# 3-413



7095

9 Teeth CW 10 Splines Spiral
2.530 O.A.L. 1.005 O.D. 0.475 I.D.
WAI# 54-9129 ACC# 3-345



7095SID

9 Teeth CW 10 Splines Spiral
2.530 O.A.L. 1.000 O.D. 0.430 I.D.
WAI# 54-9102 ACC# 3-681



7097

9 Teeth CW 10 Splines Spiral
2.700 O.A.L. 1.160 O.D. 0.475 I.D.
WAI# 54-9127 ACC# 3-602



7098

10 Teeth CW 10 Splines Spiral
2.530 O.A.L. 1.050 O.D. 0.475 I.D.
WAI# 54-9131 ACC# 3-344



7099

9 Teeth CW 10 Splines Spiral
2.530 O.A.L. 1.350 O.D. 0.475 I.D.
WAI# 54-9145 ACC# 3-857

SAME AS 7090



B10

10 Teeth CW 10 Splines Spiral
2.700 O.A.L. 1.050 O.D. 0.475 I.D.
WAI# 54-9187 ACC# 3-610



B9

9 Teeth CCW 10 Splines Spiral
2.900 O.A.L. 1.000 O.D. 0.430 I.D.
WAI# 54-9133 ACC# 3-604



BP1

9 Teeth CW 10 Splines Spiral
2.310 O.A.L. 1.000 O.D. 0.430 I.D.
WAI# 54-9144 ACC# 3-737



BP1LID

9 Teeth CW 10 Splines Spiral
2.310 O.A.L. 1.000 O.D. 0.475 I.D.
WAI# 54-9140 ACC# 3-742



BP2

9 Teeth CW 10 Splines Spiral
2.530 O.A.L. 1.000 O.D. 0.475 I.D.
WAI# 54-9139 ACC# 3-679



BRS1

9 Teeth CW 10 Splines Spiral
2.310 O.A.L. 1.000 O.D. 0.435 I.D.
WAI# 54-9159 ACC# 3-818



MP9109

11 Teeth CW 10 Splines Spiral
3.550 O.A.L. 1.600 O.D. 0.565 I.D.
WAI# 54-9109 ACC# 3-835



MP9113

11 Teeth CW 10 Splines Spiral
3.550 O.A.L. 1.600 O.D. 0.565 I.D.
WAI# 54-9113 ACC# 3-842



MP9150

10 Teeth CW 10 Splines Spiral
3.590 O.A.L. 1.260 O.D. 0.562 I.D.
WAI# 54-9150 ACC# 3-929



BOSCH STARTER DRIVES (Contd.)



MP9151

10 Teeth CW 10 Splines Spiral
3.585 O.A.L. 1.260 O.D. 0.560 I.D.
WAI# 54-9151 ACC# 3-837



MP9160

8 Teeth CW 10 Splines Spiral
2.120 O.A.L. 1.065 O.D. 0.435 I.D.
WAI# 54-9160 ACC# 3-1032



MP9168

9 Teeth CCW 10 Splines Spiral
2.310 O.A.L. 1.000 O.D. 0.474 I.D.
WAI# 54-9168 ACC# 3-823



MP9179

11 Teeth CW 10 Splines Spiral
2.900 O.A.L. 1.390 O.D. 0.565 I.D.
WAI# 54-9179 ACC# 3-934



MP9184

10 Teeth CW 10 Splines Spiral
3.590 O.A.L. 1.570 O.D. 0.565 I.D.
WAI# 54-1984



MP9192

11 Teeth CW 10 Splines Spiral
2.520 O.A.L. 1.390 O.D. 0.475 I.D.
WAI# 54-9192 ACC# 3-1070

HITACHI STARTER DRIVES



7015

9 Teeth CW 10 Splines Spiral
2.440 O.A.L. 1.155 O.D. 0.510 I.D.
WAI# 54-8112 ACC# 3-421



7018

8 Teeth CW 5 Splines Spiral
2.435 O.A.L. 1.100 O.D. 0.500 I.D.
WAI# 54-8114 ACC# 3-622



7023

9 Teeth CW 5 Splines Spiral
2.400 O.A.L. 1.150 O.D. 0.490 I.D.
WAI# 54-8105 ACC# 3-734



7024

9 Teeth CW 5 Splines Spiral
2.430 O.A.L. 1.150 O.D. 0.500 I.D.
WAI# 54-8110 ACC# 3-621



7223

9 Teeth CW 12 Splines Spiral
2.730 O.A.L. 1.270 O.D. 0.550 I.D.
WAI# 54-8105 ACC# 3-734



7224

9 Teeth CW 5 Splines Spiral
2.430 O.A.L. 1.150 O.D. 0.500 I.D.
WAI# 54-8117 ACC# 3-897



7305

9 Teeth CW 41 Spline Body Gear
3.425 O.A.L. 1.150 O.D.
WAI# 54-8104 ACC# 3-678



7309

21 Teeth CCW 41 Spline Body Gear
3.060 O.A.L. 2.360 O.D.
WAI# 54-8111 ACC# 3-751



7312

25 Teeth CCW 41 Spline Body Gear
3.000 O.A.L. 2.775 O.D.
WAI# 54-8139 ACC# 3-911



7314

9 Teeth CW 5 Splines Spiral
3.060 O.A.L. 1.145 O.D. 0.500 I.D.
WAI# 54-8140-9 ACC#



7401

9 Teeth CW 41 Spline Body Gear
3.440 O.A.L. 1.140 O.D.
WAI# 54-8141 ACC# 3-798



SPRAGG
VERSION

107401SP

9 Teeth CW 41 Spline Body Gear
3.440 O.A.L. 1.140 O.D.
HEAVY DUTY RACING APPLICATION



SPRAGG
VERSION

107401LHSP

9 Teeth CCW 41 Spline Body Gear
3.440 O.A.L. 1.140 O.D.
HEAVY DUTY RACING APPLICATION



H10LU

10 Teeth CW 12 Splines Spiral
2.725 O.A.L. 1.555 O.D. 0.565 I.D.
WAI# 54-8126 ACC# 3-820



H11

11 Teeth CW 5 Splines Spiral
2.425 O.A.L. 1.355 O.D. 0.490 I.D.
WAI# 54-8120 ACC# 3-902



HITACHI STARTER DRIVES (Contd.)



H11L

11 Teeth CW 12 Splines Spiral
2.950 O.A.L. 1.595 O.D. 0.550 I.D.
WAI# 54-8123 ACC# 3-1091



H15

15 Teeth CW 10 Splines Spiral
2.450 O.A.L. 1.745 O.D. 0.490 I.D.
WAI# 54-8118 ACC# 3-900



H8

8 Teeth CW 10 Splines Spiral
2.555 O.A.L. 1.100 O.D. 0.490 I.D.
WAI# 54-8102 ACC# 3-693



H85236

8 Teeth CW 5 Splines Spiral
2.380 O.A.L. 1.100 O.D. 0.490 I.D.
WAI# 54-8101 ACC# 3-692



H8GR

8 Teeth CCW 41 Spline Body Gear
3.430 O.A.L. 1.105 O.D.
WAI# 54-8132 ACC# 3-896



H8LGR

8 Teeth CCW 41 Spline Body Gear
3.705 O.A.L. 1.105 O.D.
WAI# 54-8138 ACC# 3-910



H8PM

8 Teeth CW 10 Splines Spiral
1.915 O.A.L. 1.100 O.D. 0.490 I.D.
WAI# 54-8134 ACC# 3-914



H9

9 Teeth CW 5 Splines Spiral
2.580 O.A.L. 1.145 O.D. 0.490 I.D.
WAI# 54-8115



H910301

9 Teeth CW 10 Splines Spiral
3.030 O.A.L. 1.160 O.D. 0.490 I.D.
WAI# 54-8119 ACC# 3-901



H910309

9 Teeth CW 5 Splines Spiral
3.100 O.A.L. 1.150 O.D. 0.490 I.D.
WAI# 54-8122 ACC# 3-695



H95260

9 Teeth CW 5 Splines Spiral
2.610 O.A.L. 1.150 O.D. 0.475 I.D.
WAI# 54-8142 ACC# 3-1083



H95303

9 Teeth CW 5 Splines Spiral
3.020 O.A.L. 1.275 O.D. 0.490 I.D.
WAI# 54-8121



H9S

9 Teeth CW 10 Splines Spiral
1.935 O.A.L. 1.150 O.D. 0.490 I.D.
WAI# 54-8137 ACC# 3-912



H9SKI

9 Teeth CCW 6 Splines Spiral
1.545 O.A.L. 1.160 O.D. 0.485 I.D.
WAI# 54-8106 ACC# 3-752



H9VOL

9 Teeth CW 10 Splines Spiral
2.795 O.A.L. 1.004 O.D. 0.490 I.D.
WAI# 54-8131 ACC# 3-908



H9W

9 Teeth CW 12 Splines Spiral
2.730 O.A.L. 1.385 O.D. 0.565 I.D.
WAI# 54-8100 ACC# 3-694



HGR13

9 Teeth CW 41 Spline Body Gear
3.430 O.A.L. 1.280 O.D.
WAI# 54-8125 ACC# 3-905



HGR14

9 Teeth CW 41 Spline Body Gear
3.430 O.A.L. 1.405 O.D.
WAI# 54-8133 ACC# 3-899



HPM1

9 Teeth CW 4 Splines Spiral
3.070 O.A.L. 1.150 O.D. 0.490 I.D.
WAI# 54-8135 ACC# 3-906



HPM2

9 Teeth CW 10 Splines Spiral
2.210 O.A.L. 1.155 O.D. 0.490 I.D.
WAI# 54-8136 ACC# 3-909



MP7566

9 Teeth CW 41 Spline Body Gear
3.920 O.A.L. 1.390 O.D.
WAI# 54-8152 ACC# 3-596



MP8152

10 Teeth CCW 10 Splines Spiral
2.965 O.A.L. 1.270 O.D. 0.490 I.D.
WAI# 54-8152 ACC# 3-596



N8CCW

8 Teeth CCW 5 Splines Spiral
3.240 O.A.L. 1.105 O.D. 0.490 I.D.
WAI# 54-8103 ACC# 3-750



LUCAS STARTER DRIVES



2626

9 Teeth CW 12 Splines Spiral
3.110 O.A.L. 1.004 O.D. 0.475 I.D.
WAI# 54-9211



2629

10 Teeth CW 3 Splines Spiral
2.770 O.A.L. 1.555 O.D. 0.670 I.D.
WAI# 54-9201 ACC# 3-641



2741

10 Teeth CW 12 Splines Spiral
2.770 O.A.L. 1.555 O.D. 0.670 I.D.
WAI# 54-9202 ACC# 3-642



7036

9 Teeth CW 12 Splines Spiral
2.980 O.A.L. 1.265 O.D. 0.475 I.D.
WAI# 54-9208 ACC# 3-639



7052

13 Teeth CW 12 Splines Spiral
2.900 O.A.L. 1.800 O.D. 0.670 I.D.
O.E.# 54246740



7053

11 Teeth CW 6 Splines Straight
4.425 O.A.L. 1.565 0.555 I.D.
WAI# 54-9219 ACC# 3-452



7054

10 Teeth CW 3 Splines Spiral
2.760 O.A.L. 1.550 O.D. 0.670 I.D.
WAI# 54-9205 ACC# 3-683



7055

10 Teeth CW 12 Splines Spiral
2.760 O.A.L. 1.550 O.D. 0.670 I.D.
WAI# 54-9213 ACC# 3-799



7056

10 Teeth CW 12 Splines Spiral
3.965 O.A.L. 1.550 O.D. 0.670 I.D.
WAI# 54-9204 ACC# 3-810



7057

10 Teeth CW 12 Splines Spiral
2.900 O.A.L. 1.555 O.D. 0.670 I.D.
WAI# 54-9203 ACC# 3-807



7058

10 Teeth CW 12 Splines Spiral
2.900 O.A.L. 2.900 O.D. 0.670 I.D.
WAI# 54-9200 ACC# 3-670



7059

10 Teeth CW 12 Splines Spiral
3.950 O.A.L. 1.550 O.D. 0.670 I.D.
WAI# 54-9214 ACC# 3-931

MITSUBISHI STARTER DRIVES & CLUTCHES



2774

8 Teeth CCW 4 Splines Spiral
3.430 O.A.L. 1.085 O.D. 0.500 I.D.
WAI# 54-8308 ACC# 3-697



7019

9 Teeth CW 4 Splines Spiral
2.390 O.A.L. 1.145 O.D. 0.500 I.D.
WAI# 54-8305 ACC# 3-615



7231

8 Teeth CW 4 Splines Spiral
2.400 O.A.L. 1.105 O.D. 0.500 I.D.
WAI# 54-8304 ACC# 3-616



7308

21 Teeth CCW
3.860 O.A.L. 2.350 O.D.
WAI# 54-83410 ACC# 3-789



7310

22 Teeth CW 10 Splines Spiral
2.040 O.A.L. 2.420 O.D. 0.650 I.D.



CLA-1

CW 18 GEAR SPLINES
4.850 O.A.L.
WAI# 54-83407 ACC# 3-764



CLA-1LH

CCW 18 GEAR SPLINES
4.850 O.A.L.
WAI# 54-83409 ACC# 3-763



CLA-2

CW 20 GEAR SPLINES
5.220 O.A.L.
WAI# 54-83405 ACC# 3-813



CLA-3

CW 20 GEAR SPLINES
5.380 O.A.L.
WAI# 54-83401 ACC# 3-772



CLA-5

CW 18 GEAR SPLINES
4.760 O.A.L.



MITSUBISHI STARTER DRIVES & CLUTCHES (Contd.)



CLA-6

4.870 O.A.L.
WAI# 54-83408
CW 18 GEAR SPLINES
ACC# 3-786



CLA-8

5.300 O.A.L.
WAI# 54-83403
CW 20 GEAR SPLINES
ACC# 3-776



CLA-73

4.380 O.A.L.
WAI# 54-83415
20 GEAR SPLINES CW 5 Spline Spiral
ACC# 3-1030



M10

2.400 O.A.L.
WAI# 54-8301
11 Teeth CW 4 Splines Spiral
1.575 O.D. 0.500 I.D.
ACC# 3-700



M10PM

2.015 O.A.L.
WAI# 54-8315
10 Teeth CW 8 Splines Spiral
1.100 O.D. 0.475 I.D.
ACC# 3-758



M10PMGL

2.015 O.A.L.
WAI# 54-8314
10 Teeth CW 8 Splines Spiral
1.245 O.D. 0.475 I.D.
ACC# 3-757



M11

2.900 O.A.L.
WAI# 54-8309
11 Teeth CCW 4 Splines Spiral
1.370 O.D. 0.500 I.D.
ACC# 3-699



M11S

2.400 O.A.L.
WAI# 54-8300
11 Teeth CW 4 Splines Spiral
1.350 O.D. 0.500 I.D.
ACC# 3-745



M12

3.015 O.A.L.
WAI# 54-8316
12 Teeth CW 8 Splines Spiral
1.480 O.D. 0.475 I.D.
ACC# 3-745



M12L300

3.000 O.A.L.
WAI# 54-8317
12 Teeth CW 8 Splines Spiral
1.480 O.D. 0.475 I.D.
ACC# 3-760



M13

3.950 O.A.L.
WAI# 54-8303
13 Teeth CW 10 Splines Spiral
1.570 O.D. 0.670 I.D.
ACC# 3-701



M13L

4.310 O.A.L.
WAI# 54-8320
13 Teeth CW 10 Splines Spiral
1.570 O.D. 0.670 I.D.
ACC# 3-777



M13L300

3.000 O.A.L.
WAI# 54-8318
13 Teeth CCW 8 Splines Spiral
1.575 O.D. 0.475 I.D.



M20CLA

4.615 O.A.L.
WAI# 54-83412
20 Teeth CCW
2.245 O.D.
ACC# 3-1115



M20GR

4.500 O.A.L.
WAI# 54-83411
20 Teeth CCW
2.245 O.D.
ACC# 3-1114



M21PM

3.860 O.A.L.
WAI# 54-83410
21 Teeth CCW
2.350 O.D.
ACC# 3-789



M318PM

3.020 O.A.L.
WAI# 54-8323
9 Teeth CW 8 Splines Spiral
1.150 O.D. 0.415 I.D.
ACC# 3-949



M8300PM

3.000 O.A.L.
WAI# 54-8325
8 Teeth CW 8 Splines Spiral
1.100 O.D. 0.475 I.D.
ACC# 3-882



M8350

3.490 O.A.L.
WAI# 54-8332
8 Teeth CCW 4 Splines Spiral
1.110 O.D. 0.475 I.D.



M8CCW

2.790 O.A.L.
WAI# 54-8328
8 Teeth CCW 4 Splines Spiral
1.115 O.D. 0.475 I.D.



M8PM

2.015 O.A.L.
WAI# 54-8313
8 Teeth CW 8 Splines Spiral
1.115 O.D. 0.475 I.D.
ACC# 3-756



M8PML

2.520 O.A.L.
WAI# 54-8324
8 Teeth CW 8 Splines Spiral
1.115 O.D. 0.475 I.D.
ACC# 3-881



M8S

2.205 O.A.L.
WAI# 54-8306
8 Teeth CW 4 Splines Spiral
1.115 O.D. 0.475 I.D.
ACC# 3-744



M8SCCW

2.200 O.A.L.
WAI# 54-8330
8 Teeth CCW 4 Splines Spiral
1.115 O.D. 0.475 I.D.
ACC# 3-778



M9

2.910 O.A.L.
WAI# 54-8328
9 Teeth CW 4 Splines Spiral
1.010 O.D. 0.500 I.D.
ACC# 3-884



M9CCW

3.440 O.A.L.
WAI# 54-8307
9 Teeth CCW 4 Splines Spiral
1.165 O.D. 0.500 I.D.
ACC# 3-643



M9PM

2.000 O.A.L.
WAI# 54-8321
9 Teeth CW 8 Splines Spiral
1.165 O.D. 0.475 I.D.
ACC# 3-877



M9S

2.195 O.A.L.
WAI# 54-8319
9 Teeth CW 4 Splines Spiral
1.160 O.D. 0.475 I.D.
ACC# 3-876



MCA1

4.850 O.A.L.
WAI# 54-83409
CW 18 GEAR SPLINES
ACC# 3-763



MPM1

2.515 O.A.L.
WAI# 54-8312
8 Teeth CCW 8 Splines Spiral
1.115 O.D. 0.475 I.D.
ACC# 3-755



MITSUBISHI STARTER DRIVES (Contd.)



MPM2

9 Teeth CCW 8 Splines Spiral
2.560 O.A.L. 1.165 O.D. 0.475 I.D.
WAI# 54-8311 ACC# 3-754



MP8336

10 Teeth CW 8 Splines Spiral
2.000 O.A.L. 1.300 O.D. 0.475 I.D.
WAI# 54-8336 ACC# 3-1016

NIPPONDENSO STARTER DRIVES



2759

9 Teeth CW 5 Splines Spiral
3.130 O.A.L. 1.005 O.D. 0.490 I.D.
WAI# 54-8216 ACC# 3-740



2761

9 Teeth CCW 5 Splines Spiral
3.230 O.A.L. 1.000 O.D. 0.490 I.D.
WAI# 54-8204 ACC# 3-350



2762

9 Teeth CW 5 Splines Spiral
3.230 O.A.L. 1.000 O.D. 0.490 I.D.
WAI# 54-8203 ACC# 3-349



2770

9 Teeth CW 5 Splines Spiral
3.390 O.A.L. 0.982 O.D. 0.500 I.D.



2779

9 Teeth CCW 5 Splines Spiral
3.390 O.A.L. 0.982 O.D. 0.500 I.D.



7010

9 Teeth CW 5 Splines Spiral
3.390 O.A.L. 1.145 O.D. 0.490 I.D.
WAI# 54-8205 ACC# 3-743



7010LH

9 Teeth CCW 5 Splines Spiral
3.390 O.A.L. 1.145 O.D. 0.490 I.D.



7011

9 Teeth CW 5 Splines Spiral
2.520 O.A.L. 1.160 O.D. 0.490 I.D.
WAI# 54-8208 ACC# 3-417



7012

9 Teeth CW 5 Splines Spiral
2.240 O.A.L. 1.150 O.D. 0.490 I.D.
WAI# 54-8207 ACC# 3-649



7012LH

9 Teeth CCW 5 Splines Spiral
2.240 O.A.L. 1.150 O.D. 0.490 I.D.
WAI# 54-8228



7301

9 Teeth CW 40 Spline Body Gear
4.030 O.A.L. 1.140 O.D.
WAI# 54-8202-9 ACC# 3-676



7301LH

9 Teeth CCW 40 Spline Body Gear
4.030 O.A.L. 1.140 O.D.
O.E.# 028300-3990



N104402

10 Teeth CW 4 Splines Spiral
4.020 O.A.L. 1.570 O.D. 0.670 I.D.
WAI# 54-8200 ACC# 3-682



N10GR326

10 Teeth CW 40 Spline Body Gear
3.270 O.A.L. 1.110 O.D.
WAI# 54-8226 ACC# 3-1045



N11GR

11 Teeth CW 40 Spline Body Gear
3.270 O.A.L. 1.155 O.D.
WAI# 54-8210-9 ACC# 3-788



N11GR326

11 Teeth CW 40 Spline Body Gear
3.265 O.A.L. 1.155 O.D.
WAI# 54-8224-9 ACC# 3-1034



N11GR570

11 Teeth CW 36 Spline Body Gear
5.770 O.A.L. 1.560 O.D.
WAI# 54-8241 ACC# 3-803C



N124402

12 Teeth CW 36 Splines Spiral
4.020 O.A.L. 1.810 O.D. 0.670 I.D.
WAI# 54-8222 ACC# 3-851



N13GR570

13 Teeth CW 36 Spline Body Gear
5.770 O.A.L. 1.550 O.D.
WAI# 54-8227 ACC# 3-770



N8

8 Teeth CW 5 Splines Spiral
2.580 O.A.L. 1.100 O.D. 0.490 I.D.



NIPPONDENSO STARTER DRIVES (Contd.)



N8225

10 Teeth CW 40 Spline Body Gear
3.270 O.A.L. 1.300 O.D.
WAI# 54-8225 ACC# 3-1035



N85322

8 Teeth CW 5 Splines Spiral
3.240 O.A.L. 1.085 O.D. 0.490 I.D.
WAI# 54-8230



N8L5343

8 Teeth CCW 5 Splines Spiral
3.390 O.A.L. 1.090 O.D. 0.490 I.D.
WAI# 54-8215 ACC# 3-617



N8S

8 Teeth CW 5 Splines Spiral
2.100 O.A.L. 1.110 O.D. 0.435 I.D.
WAI# 54-8221 ACC# 3-744



N8SID

8 Teeth CW 5 Splines Spiral
2.105 O.A.L. 1.110 O.D. 0.430 I.D.
WAI# 54-8234 ACC# 3-875



N9GR

9 Teeth CW 40 Spline Body Gear
3.270 O.A.L. 1.140 O.D.
WAI# 54-8235 ACC# 3-1036



N9GRLUV

9 Teeth CW 40 Spline Body Gear
4.025 O.A.L. 1.260 O.D. I.D.
WAI# 54-8209-9 ACC# 3-787



N9LGR

9 Teeth CCW 40 Spline Body Gear
3.270 O.A.L. 1.140 O.D.
O.E.# 028300-7160



N9SID

9 Teeth CW 5 Splines Spiral
2.110 O.A.L. 1.160 O.D. 0.430 I.D.
WAI# 54-8232 ACC# 3-872



N10GR

10 Teeth CW 40 Spline Body Gear
4.030 O.A.L. 1.300 O.D.
WAI# 54-8223-9 ACC# 3-946

MARELLI STARTER DRIVES



7040

11 Teeth CW 6 Splines Spiral
2.690 O.A.L. 1.150 O.D. 0.550 I.D.
WAI# 54-9306 ACC# 3-624



7041

9 Teeth CW 6 Splines Spiral
2.790 O.A.L. 0.987 O.D. 0.450 I.D.
WAI# 54-9305 ACC# 3-623

MITSUBA STARTER DRIVES



H9GR

9 Teeth CW 48 Spline Body Gear
3.900 O.A.L. 1.150 O.D.
WAI# 54-8500 ACC# 3-769



H9GRA

9 Teeth CW 48 Spline Body Gear
3.900 O.A.L. 1.150 O.D.

VALEO STARTER DRIVES



MP9434

9 Teeth CW 5 Splines Spiral
2.025 O.A.L. 0.995 O.D. 0.475 I.D.
WAI# 54-9434 ACC# 3-1020



V1

9 Teeth CW 9 Splines Spiral
2.085 O.A.L. 1.000 O.D. 0.475 I.D.
WAI# 54-9400 ACC# 3-690



V10

9 Teeth CW 9 Splines Spiral
2.580 O.A.L. 1.100 O.D. 0.475 I.D.
WAI# 54-9426



V11

11 Teeth CW 9 Splines Spiral
2.325 O.A.L. 1.165 O.D. 0.475 I.D.
WAI# 54-9404



V2

9 Teeth CW 9 Splines Spiral
2.665 O.A.L. 1.000 O.D. 0.475 I.D.
WAI# 54-9407 ACC# 3-733



V9

9 Teeth CW 9 Splines Spiral
2.170 O.A.L. 1.000 O.D. 0.475 I.D.
WAI# 54-9415 ACC# 3-708



V9240

9 Teeth CW 9 Spiral
2.330 O.A.L. 1.000 O.D. 0.475 I.D.
WAI# 54-9409



DELCO STARTER DRIVES



2087

11 Teeth CCW 6 Splines Straight
7.650 O.A.L. 2.235 O.D.
FACET# A2794



2117

9 Teeth CW Keyed Mound w/Screw
5.400 O.A.L. 1.140 O.D. 0.625 I.D.
O.E.# 1908744



2118

10 Teeth CCW Keyed Mound w/Screw
5.950 O.A.L. 1.555 O.D. 0.625 I.D.
ACC# 98506



2119

12 Teeth CW Keyed Mound w/Screw
5.450 O.A.L. 1.470 O.D. 0.625 I.D.
O.E.# 1920610



2139HD

10 Teeth CW Pin End Mount
4.150 O.A.L. 1.560 O.D. 0.625 I.D.
ACC# 3-568NS



2140HD

10 Teeth CCW Pin End Mount
4.150 O.A.L. 1.560 O.D. 0.625 I.D.
ACC# 3-597NS



2144

9 Teeth CW Pin End Mount
4.150 O.A.L. 1.415 O.D. 0.625 I.D.
FACET# 480370



2216

10 Teeth CCW 3 Splines Spiral
3.790 O.A.L. 1.570 O.D. 0.555 I.D.
ACC# 3-279LH



2216PT

10 Teeth CCW 3 Splines Spiral
3.790 O.A.L. 1.570 O.D. 0.555 I.D.
WAI# 54-159 ACC# 3-479LH



2220

11 Teeth CW 19 Splines Straight
4.730 O.A.L. 2.020 O.D. 0.625 I.D.
FACET# 480323



2221

10 Teeth CW 19 Splines Straight
4.615 O.A.L. 1.575 O.D. 0.625 I.D.
FACET# 480324



2318

11 Teeth CCW 4 Splines Spiral
3.140 O.A.L. 2.230 O.D. 1.000 I.D.
DYER DRIVE PINION ACC# 98506



2323

9 Teeth CW 3 Splines Spiral
3.825 O.A.L. 1.135 O.D. 0.555 I.D.
ACC# 3-215



2328

12 Teeth CCW 3 Splines Spiral
3.780 O.A.L. 1.470 O.D. 0.555 I.D.
ACC# 3-276



2329

9 Teeth CW 3 Splines Spiral
3.875 O.A.L. 1.135 O.D. 0.475 I.D.
ACC# 3-258



2330

9 Teeth CCW 3 Splines Spiral
3.165 O.A.L. 0.990 O.D. 0.475 I.D.
WAI# 54-134-9 ACC# 3-207LH



2341

10 Teeth CCW 3 Splines Spiral
3.790 O.A.L. 1.265 O.D. 0.555 I.D.
WAI# 54-103-9 ACC# 3-291LH



2342

10 Teeth CCW 3 Splines Spiral
3.750 O.A.L. 3.750 O.D. 0.555 I.D.
ACC# 3-302LH



2342PT

10 Teeth CCW 3 Splines Spiral
3.800 O.A.L. 1.265 O.D. 0.555 I.D.
FACET# 10535



2343

9 Teeth CCW 6 Splines Spiral
3.830 O.A.L. 1.415 O.D. 0.555 I.D.
ACC# 3-296LH



2376PT

12 Teeth CW 3 Splines Spiral
3.815 O.A.L. 1.830 O.D. 0.560 I.D.
ACC# 3-481



2386

9 Teeth CCW 3 Splines Spiral
3.730 O.A.L. 0.990 O.D. 0.475 I.D.
ACC# 3-209LH



2391

9 Teeth CCW 6 Splines Spiral
5.180 O.A.L. 1.135 O.D. 0.555 I.D.
ACC# 3-226



2395

11 Teeth CW 19 Splines Straight
6.670 O.A.L. 2.225 O.D. 0.625 I.D.
ACC# 3-309



2395H

11 Teeth CW 19 Splines Straight
6.670 O.A.L. 2.310 O.D. 0.625 I.D.
50 MT PONY MOTOR CONVERSION



2395PT

11 Teeth CW 19 Splines Straight
6.680 O.A.L. 2.230 O.D. 0.625 I.D.
WAI# 54-126 ACC# 3-309VN



2396

12 Teeth CW 19 Splines Straight
6.670 O.A.L. 1.820 O.D. 0.625 I.D.
WAI# 54-127 ACC# 3-311VN



2396H

12 Teeth CW 19 Splines Straight
6.670 O.A.L. 1.820 O.D. 0.625 I.D.
50 MT PONY MOTOR CONVERSION



2396PT

12 Teeth CW 19 Splines Straight
6.680 O.A.L. 1.820 O.D. 0.625 I.D.
WAI# 54-127 ACC# 3-311VN



2397

9 Teeth CW 3/6 Splines Spiral
3.790 O.A.L. 1.415 O.D. 0.555 I.D.
ACC# 3-246

1818 Madison Street, Maywood, Illinois 60153

1 800 621-3889 (708) • 343-4700 • FAX (708) 343-9425

www.starterdrives.com



DELCO STARTER DRIVES (Contd.)



2403

10 Teeth CW 3 Splines Spiral
4.390 O.A.L. 1.240 O.D. 0.555 I.D.
ACC# 3-298



2405

9 Teeth CW 3 Splines Spiral
3.785 O.A.L. 1.135 O.D. 0.555 I.D.
WAI# 54-115 ACC# 3-314



2424

11 Teeth CW 4 Splines Spiral
3.140 O.A.L. 2.230 O.D. 1.000 I.D.
DYER DRIVE PINION ACC# 76106



2742

11 Teeth CW 19 Splines Straight
4.730 O.A.L. 2.225 O.D. 0.625 I.D.
ACC# 3-286



2743

12 Teeth CW 19 Splines Straight
4.730 O.A.L. 1.820 O.D. 0.625 I.D.
ACC# 3-289



2748

12 Teeth CW 19 Splines Straight
4.740 O.A.L. 2.310 O.D. 0.625 I.D.
ACC# 3-293A



2749

10 Teeth CW 3 Splines Spiral
3.210 O.A.L. 1.250 O.D. 0.555 I.D.
WAI# 54-106-9 ACC# 3-348



2753

11 Teeth CW 19 Splines Straight
4.740 O.A.L. 2.310 O.D. 0.625 I.D.
ACC# 3-285A



4106

9 Teeth CW 3/6 Splines Straight
3.760 O.A.L. 1.135 O.D. 0.555 I.D.
ACC# 3-212



4107

9 Teeth CW 3/6 Splines Straight
3.750 O.A.L. 0.990 O.D. 0.475 I.D.
ACC# 3-201



4211

9 Teeth CW 3 Splines Spiral
3.750 O.A.L. 1.000 O.D. 0.475 I.D.
ACC# 3-202



4212

9 Teeth CW 3 Splines Spiral
3.790 O.A.L. 1.135 O.D. 0.475 I.D.
ACC# 3-214



4213HD

9 Teeth CW 3 Splines Spiral
3.790 O.A.L. 1.135 O.D. 0.555 I.D.
WAI# 54-136-9 ACC# 3-221HD



4214LG

9 Teeth CW 3 Splines Spiral
3.000 O.A.L. 1.135 O.D. 0.475 I.D.
ACC# 3-219



4214SM

9 Teeth CW 3 Splines Spiral
3.000 O.A.L. 1.135 O.D. 0.475 I.D.
ACC# 3-217



4215

9 Teeth CCW 3 Splines Spiral
3.790 O.A.L. 1.135 O.D. 0.555 I.D.
ACC# 3-267



4216

9 Teeth CW 3 Splines Spiral
5.310 O.A.L. 1.560 O.D. 0.555 I.D.
ACC# 3-218



4217

9 Teeth CW 3 Splines Spiral
3.790 O.A.L. 1.560 O.D. 0.555 I.D.
ACC# 3-253



4218

9 Teeth CW 3/6 Splines Spiral
5.160 O.A.L. 1.135 O.D. 0.555 I.D.
ACC# 3-225



4219

9 Teeth CCW 3/6 Splines Spiral
3.810 O.A.L. 1.415 O.D. 0.555 I.D.
ACC# 3-268

Also available
in an all new
Spragg style
104221SP



4221

10 Teeth CW 3 Splines Spiral
2.210 O.A.L. 1.555 O.D. 0.475 I.D.
ACC# 3-252



4226HD

9 Teeth CCW 3 Splines Spiral
3.790 O.A.L. 1.415 O.D. 0.555 I.D.
WAI# 54-107-9 ACC# 3-296HD



4227

9 Teeth CCW 3 Splines Spiral
3.900 O.A.L. 0.990 O.D. 0.475 I.D.
WAI# 54-133-9 ACC# 3-247



4321

9 Teeth CW 3 Splines Spiral
3.750 O.A.L. 1.000 O.D. 0.475 I.D.
WAI# ACC# 3-208



4322

9 Teeth CW 6 Splines Spiral
3.750 O.A.L. 1.000 O.D. 0.475 I.D.
WAI# ACC# 3-203



4323

9 Teeth CW 3 Splines Spiral
2.890 O.A.L. 1.000 O.D. 0.475 I.D.
ACC# 3-204



4324HD

9 Teeth CW 3 Splines Spiral
3.900 O.A.L. 0.990 O.D. 0.475 I.D.
WAI# 54-104-9 ACC# 3-306



4325

9 Teeth CW 3 Splines Spiral
3.180 O.A.L. 0.990 O.D. 0.475 I.D.
ACC# 3-207



4326

10 Teeth CW 3 Splines Spiral
3.180 O.A.L. 1.100 O.D. 0.475 I.D.
10 Tooth 207

































4327

9 Teeth CW 3 Splines Spiral
3.900 O.A.L. 0.990 O.D. 0.475 I.D.
ACC# 3-209



DELCO STARTER DRIVES (Contd.)

 4330 9 Teeth CW 3 Splines Spiral 3.180 O.A.L. 0.990 O.D. 0.475 I.D. WAI# 54-101-9 ACC# 3-213	 4330C 9 Teeth CW 3 Splines Spiral 3.180 O.A.L. 0.990 O.D. 0.475 I.D. ACC# 3-210	 4332 9 Teeth CW 3 Splines Spiral 2.750 O.A.L. 0.990 O.D. 0.475 I.D. WAI# 54-100-9 ACC# 3-305	NON-CUSI  4332VS 9 Teeth CW 3 Splines Spiral 2.750 O.A.L. 0.990 O.D. 0.475 I.D. WAI# ACC#	 4333 9 Teeth CW 3 Splines Spiral 2.750 O.A.L. 0.990 O.D. 0.475 I.D. WAI# 54-135-9 ACC# 3-307
 4333VS 9 Teeth CW 3 Splines Spiral 2.750 O.A.L. 0.990 O.D. 0.475 I.D. ACC# 3-308C	 4337 9 Teeth CW 3 Splines Spiral 2.850 O.A.L. 0.990 O.D. 0.475 I.D. WAI# 54-166 ACC# 3-380	 4337C 9 Teeth CW 3 Splines Spiral 2.850 O.A.L. 0.990 O.D. 0.475 I.D. WAI# 54-167-9 ACC# 3-380C	 4400 10 Teeth CW 3 Splines Spiral 3.900 O.A.L. 1.560 O.D. 0.555 I.D. WAI# 54-131-1 ACC# 3-337	 4400PT 10 Teeth CW 3 Splines Spiral 3.900 O.A.L. 1.570 O.D. 0.555 I.D. WAI# 54-131-1-R
 4401 12 Teeth CW 3 Splines Spiral 3.900 O.A.L. 1.825 O.D. 0.555 I.D. WAI# 54-132-1 ACC# 3-338	 4401PT 12 Teeth CW 3 Splines Spiral 3.900 O.A.L. 1.825 O.D. 0.555 I.D. WAI# 54-132-1-R	 4404RS 10 Teeth CW 12 Splines Spiral 3.370 O.A.L. 1.250 O.D. 0.550 I.D. WAI# 54-8406 ACC# 3-327	 4405RS 12 Teeth CW 12 Splines Spiral 3.370 O.A.L. 1.820 O.D. 0.550 I.D. WAI# 54-8407 ACC# 3-329	 4406RS 10 Teeth CW 12 Splines Spiral 3.370 O.A.L. 1.570 O.D. 0.550 I.D. WAI# 54-8402 ACC# 3-328
 4409 9 Teeth CW 12 Splines Spiral 3.370 O.A.L. 1.345 O.D. 0.550 I.D. WAI# 54-8404 ACC# 3-335	 4411 10 Teeth CW 3/6 Splines Spiral 3.790 O.A.L. 1.555 O.D. 0.555 I.D. ACC# 3-254	 4418 10 Teeth CW 3 Splines Spiral 4.380 O.A.L. 1.560 O.D. 0.555 I.D. ACC# 3-290	 4420 12 Teeth CCW 6 Splines Spiral 3.790 O.A.L. 1.830 O.D. 0.555 I.D. ACC# 3-294	 4420PT 12 Teeth CCW 6 Splines Spiral 3.790 O.A.L. 1.830 O.D. 0.555 I.D. ACC# 3-494
 4421 12 Teeth CW 6 Splines Spiral 3.170 O.A.L. 1.825 O.D. 0.555 I.D. ACC# 3-295	 4431 10 Teeth CW 3 Splines Spiral 3.785 O.A.L. 1.560 O.D. 0.555 I.D. ACC# 3-277	 4431HD 10 Teeth CW 3 Splines Spiral 3.785 O.A.L. 1.560 O.D. 0.555 I.D. WAI# 54-137-9 ACC# 3-310	 4432 9 Teeth CCW 3 Splines Spiral 3.790 O.A.L. 1.150 O.D. 0.555 I.D. ACC# 3-281	 4433 9 Teeth CW 3 Splines Spiral 3.790 O.A.L. 1.135 O.D. 0.555 I.D. ACC# 3-257
 4433PT 9 Teeth CW 3 Splines Spiral 3.790 O.A.L. 1.135 O.D. 0.555 I.D. WAI# 54-109 ACC# 3-457	 4434 9 Teeth CW 3 Splines Spiral 3.790 O.A.L. 1.415 O.D. 0.555 I.D. ACC# 3-299	 4435 10 Teeth CCW 3 Splines Spiral 6.000 O.A.L. 1.560 O.D. 0.555 I.D. ACC# 3-255	 4436 10 Teeth CW 3 Splines Spiral 3.790 O.A.L. 1.570 O.D. 0.555 I.D. ACC# 3-279	 4436PT 10 Teeth CW 3 Splines Spiral 3.790 O.A.L. 1.570 O.D. 0.555 I.D. WAI# 54-113-3 ACC# 3-479



DELCO STARTER DRIVES (Contd.)



4437

12 Teeth CW 3 Splines Spiral
4.380 O.A.L. 1.825 O.D. 0.555 I.D.
ACC# 3-280



4438

10 Teeth CCW 3 Splines Spiral
5.560 O.A.L. 1.560 O.D. 0.555 I.D.
ACC# 3-301



4440

10 Teeth CW 3 Splines Spiral
3.790 O.A.L. 1.250 O.D. 0.555 I.D.
ACC# 3-302



4440PT

10 Teeth CW 3 Splines Spiral
3.790 O.A.L. 1.250 O.D. 0.555 I.D.
WAI# 54-160 ACC# 3-402



4450

11 Teeth CW 3 Splines Straight
3.850 O.A.L. 1.345 O.D. 0.555 I.D.
ACC# 3-256



4455

12 Teeth CW 3 Splines Spiral
3.790 O.A.L. 1.825 O.D. 0.555 I.D.
ACC# 3-282



4455PT

12 Teeth CW 3 Splines Spiral
3.790 O.A.L. 1.825 O.D. 0.555 I.D.
WAI# 54-112-3 ACC# 3-482



4456

10 Teeth CCW 3/6 Splines Spiral
4.210 O.A.L. 1.560 O.D. 0.555 I.D.
ACC# 3-283



4458

11 Teeth CW 3 Splines Spiral
4.500 O.A.L. 1.335 O.D. 0.555 I.D.
ACC# 3-287



4459HD

10 Teeth CW 3 Splines Spiral
3.790 O.A.L. 1.250 O.D. 0.555 I.D.
WAI# 54-138-9 ACC# 3-291HD



4461

12 Teeth CW 3 Splines Spiral
3.790 O.A.L. 1.825 O.D. 0.555 I.D.
WAI# 54-139-9 ACC# 3-263



4462

10 Teeth CCW 3 Splines Spiral
3.790 O.A.L. 1.560 O.D. 0.555 I.D.
ACC# 3-264



4463

11 Teeth CW 3 Splines Spiral
3.815 O.A.L. 1.335 O.D. 0.555 I.D.
ACC# 3-266



4476

11 Teeth CW 19 Splines Straight
4.670 O.A.L. 2.225 O.D. 0.750 I.D.
WAI# 54-114 ACC# 3-488



4476SP

11 Teeth CW 19 Splines Straight
4.670 O.A.L. 2.225 O.D. 0.750 I.D.
ACC# 3-288



4477

12 Teeth CW 19 Splines Straight
4.670 O.A.L. 1.820 O.D. 0.750 I.D.
WAI# 54-118 ACC# 3-472



4477SP

12 Teeth CW 19 Splines Straight
4.670 O.A.L. 1.820 O.D. 0.750 I.D.
ACC# 3-272



4478

11 Teeth CW 19 Splines Straight
4.730 O.A.L. 2.225 O.D. 0.625 I.D.
WAI# 54-123 ACC# 3-486



4479

12 Teeth CW 19 Splines Straight
4.730 O.A.L. 1.820 O.D. 0.625 I.D.
WAI# 54-124 ACC# 3-489



4480

11 Teeth CCW 19 Splines Straight
4.670 O.A.L. 2.225 O.D. 0.750 I.D.
WAI# 54-129 ACC# 3-461



4481

11 Teeth CCW 19 Splines Straight
4.670 O.A.L. 1.820 O.D. 0.750 I.D.
WAI# 54-119 ACC# 3-462



4482

11 Teeth CCW 19 Splines Straight
4.730 O.A.L. 2.225 O.D. 0.625 I.D.
WAI# 54-125 ACC# 3-497



4483

12 Teeth CCW 19 Splines Straight
4.730 O.A.L. 1.820 O.D. 0.625 I.D.
WAI# 54-117 ACC# 3-463



4486

13 Teeth CW 19 Splines Straight
4.730 O.A.L. 1.935 O.D. 0.625 I.D.
WAI# 54-117 ACC# 3-463



4486SP

13 Teeth CW 19 Splines Straight
4.730 O.A.L. 1.935 O.D. 0.625 I.D.
ACC# 3-292



4487

13 Teeth CW 19 Splines Straight
4.670 O.A.L. 1.935 O.D. 0.750 I.D.
WAI# 54-130 ACC# 3-465



4488

12 Teeth CW 19 Splines Straight
4.670 O.A.L. 1.700 O.D. 0.750 I.D.
ACC# 3-464



4489

13 Teeth CW 19 Splines Straight
4.730 O.A.L. 1.825 O.D. 0.625 I.D.
ACC# 3-466



4496

10 Teeth CW 19 Splines Straight
4.030 O.A.L. 1.555 O.D. 0.625 I.D.
WAI# 54-170 ACC# 3-1080



4498

11 Teeth CW 19 Splines Straight
4.000 O.A.L. 2.225 O.D. 0.625 I.D.
WAI# 54-154 ACC# 3-491

1818 Madison Street, Maywood, Illinois 60153

1 800 621-3889 (708) • 343-4700 • FAX (708) 343-9425

www.starterdrives.com



DELCO STARTER DRIVES (Contd.)



4499

12 Teeth CW 19 Splines Straight
4.000 O.A.L. 1.820 O.D. 0.625 I.D.
WAI# 54-153 ACC# 3-487



6643

11 Teeth CW Keyed Mount w/Screw
4.610 O.A.L. 1.690 O.D. 0.625 I.D.
ACC# 3-535



6644

16 Teeth CW Keyed Mount w/Screw
1.570 O.A.L. 2.195 O.D. 0.625 I.D.
ACC# 3-537



6657

11 Teeth CW Keyed Mount w/Screw
1.355 O.D. 0.625 I.D.
ACC# 3-596



6668

9 Teeth CCW Pin Center Mount
3.640 O.A.L. 1.150 O.D. 0.625 I.D.
ACC# 3-587



8703

9/10 Teeth CCW Keyed Mount w/Screw
4.230 O.A.L. 1.530 O.D. 0.625 I.D.
ACC# 3-123



8703C

9/10 Teeth CCW Keyed Mount w/Screw
5.300 O.A.L. 1.530 O.D. 0.625 I.D.
ACC# 3-123C



8911

13 Teeth CW
4.930 O.A.L. 1.820 O.D. 0.750 I.D.
ACC# 3-159



8911C

13 Teeth CW Keyed Mount w/Screw
6.480 O.A.L. 1.820 O.D. 0.750 I.D.
ACC# 3-152C



8912

12 Teeth CW Keyed Mount w/Screw
5.375 O.A.L. 1.825 O.D. 0.750 I.D.
ACC# 3-153



8912C

12 Teeth CW Keyed Mount w/Screw
6.860 O.A.L. 1.825 O.D. 0.750 I.D.
ACC# 3-153C



8916

12 Teeth CW Keyed Mount w/Screw
4.950 O.A.L. 2.240 O.D. 0.750 I.D.
ACC# 3-151



8916C

12 Teeth CW Keyed Mount w/Screw
6.380 O.A.L. 2.240 O.D. 0.750 I.D.
ACC# 3-151C



8917

12 Teeth CW Keyed Mount w/Screw
4.950 O.A.L. 1.830 O.D. 0.750 I.D.
ACC# 3-160



8917C

12 Teeth CW Keyed Mount w/Screw
6.500 O.A.L. 1.830 O.D. 0.750 I.D.
ACC# 3-160C



8951

11 Teeth CW Keyed Mount w/Screw
4.950 O.A.L. 2.075 O.D. 0.750 I.D.
ACC# 3-164



8951C

11 Teeth CW Keyed Mount w/Screw
6.380 O.A.L. 2.075 O.D. 0.750 I.D.
ACC# 3-164C



8952

11 Teeth CW Keyed Mount w/Screw
5.375 O.A.L. 2.230 O.D. 0.750 I.D.
ACC# 3-165



8953

11 Teeth CW 6 Splines Straight
7.800 O.A.L. 2.235 O.D.
ACC# 3-172



8955

11 Teeth CW Keyed Shaft
7.800 O.A.L. 2.235 O.D.
ACC# 3-171



8960

11 Teeth CW Keyed Shaft
7.375 O.A.L. 2.230 O.D.
ACC# 3-177



8961

2.310 Teeth CW Keyed Shaft
7.375 O.A.L. 2.310 O.D.
ACC# 3-178



8962

2.310 Teeth CW 6 Splines Straight
7.375 O.A.L. 2.310 O.D.
ACC# 3-179



8963

11 Teeth CW 6 Splines Straight
7.300 O.A.L. 2.230 O.D.
ACC# 3-180



DPM-1

9 Teeth CW 3 Spline Spiral
2.710 O.A.L. 0.990 O.D. 0.475 I.D.
WAI# 54-140 ACC# 3-320



DPM-2

9 Teeth CW 3 Spline Spiral
2.710 O.A.L. 0.990 O.D. 0.475 I.D.
WAI# 54-149 ACC# 3-324



DPM-3

9 Teeth CW 6 Spline Spiral
2.710 O.A.L. 0.990 O.D. 0.475 I.D.
WAI# 54-141 ACC# 3-321



DPM-4

9 Teeth CW 6 Spline Spiral
2.475 O.A.L. 0.990 O.D. 0.475 I.D.
WAI# 54-141 ACC# 3-321



DPM-5

11 Teeth CW 6 Spline Spiral
2.440 O.A.L. 1.160 O.D. 0.475 I.D.
WAI# 54-155 ACC# 3-375



DPM-6

9 Teeth CW 6 Spline Spiral
2.440 O.A.L. 0.990 O.D. 0.475 I.D.
WAI# 54-156 ACC# 3-376

1818 Madison Street, Maywood, Illinois 60153

1 800 621-3889 (708) • 343-4700 • FAX (708) 343-9425

www.starterdrives.com



DELCO STARTER DRIVES (Contd.)



DPM-7

9 Teeth CW 6 Spline Spiral
1.800 O.A.L. 0.990 O.D. 0.475 I.D.
WAI# 54-157 ACC# 3-377

MAY USE
IN PLACE
OF 54-174



DPM-8

11 Teeth CW 6 Spline Spiral
1.860 O.A.L. 1.160 O.D. 0.475 I.D.
WAI# 54-168 ACC# 9-378



DPM-9

9 Teeth CW 6 Spline Spiral
1.835 O.A.L. 1.145 O.D. 0.475 I.D.
WAI# 54-175



DPM-19

9 Teeth CW 6 Spline Spiral
1.835 O.A.L. 0.990 O.D. 0.475 I.D.
WAI# 54-173



MP8411

10 Teeth CW 12 Spline Spiral
3.360 O.A.L. 1.265 O.D. 0.550 I.D.
WAI# 54-2400 ACC# 3-1050

ALL NEW 35, 37 & 39 MT HEAVY DUTY SPRAGG DRIVES



SPRAGG
VERSION

102213SP

13 Teeth CCW 3 Splines Spiral
3.900 O.A.L. 4.845 O.D. 0.555 I.D.



SPRAGG
VERSION

104400SP

10 Teeth CW 3 Splines Spiral
3.900 O.A.L. 1.560 O.D. 0.555 I.D.



SPRAGG
VERSION

104401SP

12 Teeth CW 3 Splines Spiral
3.900 O.A.L. 1.825 O.D. 0.555 I.D.



SPRAGG
VERSION

104401LHSP

12 Teeth CW 3 Splines Spiral
3.900 O.A.L. 1.825 O.D. 0.555 I.D.



SPRAGG
VERSION

CLA-39

23 GEAR SPLINES CW 6 Spline Spiral
4.490 O.A.L.
REPLACES WAI# 54-1401

FORD STARTER DRIVES



2287

9 Teeth CW 4 Splines Spiral
2.820 O.A.L. 0.990 O.D. 0.475 I.D.
WAI# 54-207-9 ACC# 3-239LH



2750

9 Teeth CW 4 Splines Spiral
2.830 O.A.L. 0.990 O.D. 0.475 I.D.
ACC# 3-343



4360

9 Teeth CW 3 Splines Spiral
2.830 O.A.L. 0.990 O.D. 0.475 I.D.
ACC# 3-330



4361

9 Teeth CW 3 Splines Spiral
2.830 O.A.L. 0.990 O.D. 0.475 I.D.
ACC# 3-231



4363

9 Teeth CW 3 Splines Spiral
2.450 O.A.L. 1.000 O.D. 0.475 I.D.
ACC# 3-332



4364HD

9 Teeth CW 4 Splines Spiral
2.440 O.A.L. 0.990 O.D. 0.475 I.D.
WAI# 54-201-9 ACC# 3-334



4367

9 Teeth CW 4 Splines Spiral
2.820 O.A.L. 0.990 O.D. 0.475 I.D.
WAI# 54-211 ACC# 3-354



4368

9 Teeth CW 3 Splines Spiral
2.840 O.A.L. 1.000 O.D. 0.475 I.D.
ACC# 3-240



4370

9 Teeth CW 3/4 Splines Spiral
2.830 O.A.L. 0.990 O.D. 0.475 I.D.
WAI# 54-204-9 ACC# 3-242



4371

10 Teeth CW 4 Splines Spiral
3.030 O.A.L. 1.300 O.D. 0.475 I.D.
ACC# 3-238



4372

9 Teeth CW 4 Splines Spiral
3.050 O.A.L. 0.990 O.D. 0.475 I.D.
WAI# 54-208-9 ACC# 3-341



4373

10 Teeth CW 3 Splines Spiral
3.420 O.A.L. 1.575 O.D. 0.625 I.D.
ACC# 3-237



4378

9 Teeth CW 3/4 Splines Spiral
2.830 O.A.L. 0.990 O.D. 0.475 I.D.
WAI# 54-209-9 ACC# 3-340



4379

9 Teeth CW 3/4 Splines Spiral
2.790 O.A.L. 0.990 O.D. 0.475 I.D.
WAI# 54-202-9 ACC# 3-352



4380

10 Teeth CW 3/4 Splines Spiral
2.830 O.A.L. 1.095 O.D. 0.475 I.D.
WAI# 54-210-9 ACC# 3-353



FORD STARTER DRIVES (Contd.)



6503

9 Teeth CCW Pin End Mount
4.680 O.A.L. 1.140 O.D. 0.625 I.D.
ACC# 3-502



6503HD

9 Teeth CCW Pin End Mount
4.680 O.A.L. 1.140 O.D. 0.625 I.D.
WAI# 54-163 ACC# 3-502RC



6635HD

9 Teeth CW Keyed Mound w/Screw
4.590 O.A.L. 1.140 O.D. 0.625 I.D.
WAI# 54-144 ACC# 3-565



6639HD

9 Teeth CW Pin End Mount
4.810 O.A.L. 1.140 O.D. 0.625 I.D.
WAI# 54-213 ACC# 3-553



6659

9 Teeth CW Keyed Mound w/Screw
5.610 O.A.L. 1.410 O.D. 0.625 I.D.
ACC# 3-586



6667

9 Teeth CW Pin End Mount
4.260 O.A.L. 1.140 O.D. 0.625 I.D.
ACC# 3-595



F1PM

18 GEAR SPLINES CW 6 Spline Spiral
3.250 O.A.L.
WAI# 54-2400 ACC# 3-1050



F9PM

9 Teeth CW 12 Splines Spiral
1.840 O.A.L. 1.150 O.D. 0.475 I.D.
WAI# 54-214 ACC# 3-356



F10PM

10 Teeth CW 12 Splines Spiral
1.835 O.A.L. 1.100 O.D. 0.475 I.D.
WAI# 54-212 ACC# 3-355



F10PMS

10 Teeth CW 12 Splines Spiral
1.835 O.A.L. 1.055 O.D. 0.475 I.D.
WAI# 54-216 ACC# 3-359



F11PM

11 Teeth CW 12 Splines Spiral
1.840 O.A.L. 1.355 O.D. 0.475 I.D.
WAI# 54-218



F12PM

12 Teeth CW 12 Splines Spiral
1.845 O.A.L. 1.265 O.D. 0.475 I.D.
WAI# 54-215 ACC# 3-357



MP217

12 Teeth CW 44 Spline Body Gear
4.600 O.A.L. 1.490 O.D.
WAI# 54-217

PRESTORLITE STARTER DRIVES



2123

9 Teeth CCW Keyed Mound w/Screw
4.590 O.A.L. 1.185 O.D. 0.625 I.D.
O.E.# 59-52 ACC# 3-566LH



2125

12 Teeth CW Keyed Mound w/Screw
4.550 O.A.L. 1.825 O.D. 0.625 I.D.
O.E.# 59-143



2131HD

9 Teeth CW Pin End Mount
4.830 O.A.L. 1.155 O.D. 0.625 I.D.
O.E.# 59-147 ACC# 3-553RH



2133

9 Teeth CCW Keyed Mound w/Screw
4.550 O.A.L. 0.990 O.D. 0.475 I.D.
O.E.# 59-129 ACC# 3-582LH



2134HD

9 Teeth CCW Keyed Mound w/Screw
5.545 O.A.L. 1.410 O.D. 0.625 I.D.
O.E.# 59-144 ACC# 3-586LH



2135

9 Teeth CCW Pin Center Mount
3.640 O.A.L. 0.990 O.D. 0.475 I.D.
WAI# 54-604-9 ACC# 3-593LH



2142

9 Teeth CW Keyed Mound w/Screw
4.150 O.A.L. 1.165 O.D. 0.625 I.D.
O.E.# 59-177 ACC# 3-598



2143

9 Teeth CW Pin End Mount
4.150 O.A.L. 0.990 O.D. 0.475 I.D.
WAI# 54-602 ACC# 3-575



2147

9 Teeth CCW Pin Center Mount
3.880 O.A.L. 0.995 O.D. 0.475 I.D.
O.E.# 59-202



2148

9 Teeth CW Pin Center Mount
3.840 O.A.L. 0.995 O.D. 0.475 I.D.
O.E.# 59-202 ACC# 3-593LG



PRESTORLITE STARTER DRIVES (Contd.)



2225

12 Teeth CW 19 Splines Straight
4.830 O.A.L. 1.820 O.D. 0.750 I.D.
O.E.# 59-223 ACC# 3-495



2334

10 Teeth CCW 3 Splines Spiral
4.250 O.A.L. 1.560 O.D. 0.555 I.D.
O.E.# P18-18



2337

10 Teeth CW 6 Splines Spiral
4.270 O.A.L. 1.550 O.D. 0.555 I.D.
O.E.# P18-20



2398

9 Teeth CCW 3/6 Splines Spiral
3.760 O.A.L. 1.135 O.D. 0.555 I.D.
O.E.# P18-8 ACC# 3-212LH



4101

9 Teeth CW 3/6 Splines Spiral
3.560 O.A.L. 1.165 O.D. 0.625 I.D.
O.E.# P18-8 ACC# 3-223



4101SM

9 Teeth CW 3 Splines Spiral
3.560 O.A.L. 1.165 O.D. 0.625 I.D.
WAI# ACC# 3-223A



4102

9 Teeth CW 3 Splines Spiral
3.560 O.A.L. 1.000 O.D. 0.475 I.D.
O.E.# P18-30 ACC# 3-205



4103

9 Teeth CW 3/6 Splines Spiral
3.530 O.A.L. 1.165 O.D. 0.555 I.D.
O.E.# P18-6 ACC# 3-222



4105

9 Teeth CW 3/6 Splines Straight
3.900 O.A.L. 1.165 O.D. 0.555 I.D.
O.E.# P18-3 ACC# 3-220



4375

9 Teeth CW 3 Splines Spiral
2.675 O.A.L. 1.000 O.D. 0.475 I.D.
O.E.# P18-49 ACC# 3-441



4376

10 Teeth CW 3 Splines Spiral
3.230 O.A.L. 1.260 O.D. 0.475 I.D.
O.E.# P18-43 ACC# 3-312



4407

12 Teeth CW 3 Splines Spiral
4.150 O.A.L. 1.270 O.D. 0.555 I.D.
WAI# 54-501 ACC# 3-325



6504

13 Teeth CW Keyed Mount w/Screw
5.610 O.A.L. 1.465 O.D. 0.625 I.D.
O.E.# EBB10, A ACC# 3-532



6506HD

9 Teeth CW Keyed Mount w/Screw
4.630 O.A.L. 1.140 O.D. 0.625 I.D.
O.E.# 63-96 ACC# 3-520



6512HD

9 Teeth CCW Keyed Mount w/Screw
4.590 O.A.L. 1.140 O.D. 0.625 I.D.
WAI# 54-164 ACC# 3-555



6513

9 Teeth CW Keyed Mount w/Screw
5.260 O.A.L. 1.150 O.D. 0.625 I.D.
O.E.# EBA-5, 29 ACC# 3-505



6517

9 Teeth CW Keyed Mount w/Screw
5.130 O.A.L. 1.140 O.D. 0.625 I.D.
O.E.# EBA-12, 34 ACC# 3-526



6632HD

10 Teeth CW Keyed Mount w/Screw
4.570 O.A.L. 1.555 O.D. 0.625 I.D.
WAI# 54-146 ACC# 3-568



6633HD

9 Teeth CCW Pin End Mount
4.500 O.A.L. 1.140 O.D. 0.625 I.D.
WAI# 54-161 ACC# 3-551



6634

9 Teeth CCW Keyed Mount w/Screw
5.225 O.A.L. 1.150 O.D. 0.625 I.D.
O.E.# EBB-25 ACC# 3-552



6642HD

12 Teeth CCW Pin End Mount
4.590 O.A.L. 1.465 O.D. 0.625 I.D.
O.E.# EBA-53 ACC# 3-531



6648HD

10 Teeth CCW Pin End Mount
1.590 O.A.L. 1.555 O.D. 0.625 I.D.
O.E.# 59-125 ACC# 3-550



6649HD

9 Teeth CW Keyed Mount w/Screw
1.590 O.A.L. 1.570 O.D. 0.625 I.D.
O.E.# 63-115 ACC# 3-554



6651HD

9 Teeth CW Keyed Mount w/Screw
4.590 O.A.L. 1.410 O.D. 0.625 I.D.
WAI# 54-147 ACC# 3-570



6654

12 Teeth CW Keyed Mount w/Screw
5.640 O.A.L. 1.825 O.D. 0.625 I.D.
O.E.# 59-58 ACC# 3-583



6655

10 Teeth CW Keyed Mount w/Screw
5.610 O.A.L. 1.550 O.D. 0.625 I.D.
O.E.# EBB-42, 43 ACC# 3-584



6661

9 Teeth CW Pin Center Mount
3.640 O.A.L. 0.990 O.D. 0.475 I.D.
WAI# 54-603-9 ACC# 3-590



6662

9 Teeth CW Pin Center Mount
3.640 O.A.L. 0.990 O.D. 0.475 I.D.
O.E.# EBB-76 ACC# 3-591



6664

9 Teeth CW Pin Center Mount
O.A.L. 0.990 O.D. 0.475 I.D. I.D.
WAI# 54-162 ACC# 3-593



6665

9 Teeth CW Pin Center Mount
3.640 O.A.L. 1.140 O.D. 0.625 I.D.
WAI# 54-145 ACC# 3-594



PRESTORLITE STARTER DRIVES (Contd.)



6670

10 Teeth CCW Pin End Mount
4.160 O.A.L. 1.150 O.D. 0.625 I.D.
WAI# 54-606 ACC# 3-597



6671

10 Teeth CCW Pin Center Mount
4.160 O.A.L. 1.150 O.D. 0.625 I.D.
WAI# 54-605 ACC# 3-599



8831

9 / 10 Teeth CCW 3/8" Screw Mount
3.720 O.A.L. 1.430 O.D. 0.500 I.D.
O.E.# 59-23 ACC# 3-103



8831C

9 / 10 Teeth CCW 3/8" Screw Mount
5.300 O.A.L. 1.430 O.D. 0.500 I.D.
O.E.# 59-23 ACC# 3-103C



8832

9/10 Teeth CW 3/8" Screw Mount
3.720 O.A.L. 1.430 O.D. 0.500 I.D.
O.E.# 59-19 ACC# 3-107



8832C

9/10 Teeth CW 3/8" Screw Mount
5.300 O.A.L. 1.430 O.D. 0.500 I.D.
O.E.# 59-19 ACC# 3-107C



8833

9/10 Teeth CW 3/8" Screw Mount
3.720 O.A.L. 1.430 O.D. 0.500 I.D.
O.E.# 59-26 ACC# 3-114



8833C

9/10 Teeth CW 3/8" Screw Mount
5.300 O.A.L. 1.430 O.D. 0.500 I.D.
O.E.# 59-26 ACC# 3-114C



8835

10 Teeth CCW 3/8" Screw Mount
3.720 O.A.L. 1.560 O.D. 0.625 I.D.
O.E.# 59-10 ACC# 3-212



8835C

10 Teeth CCW 3/8" Screw Mount
5.300 O.A.L. 1.560 O.D. 0.625 I.D.
O.E.# 59-10 ACC# 3-212C



8835AC

10 Teeth CCW 3/8" Screw Mount
5.650 O.A.L. 1.560 O.D. 0.625 I.D.
O.E.# 59-64 ACC# 3-121AC



8835RC

10 Teeth CW 3/8" Screw Mount
3.700 O.A.L. 1.560 O.D. 0.625 I.D.
WAI# 54-142-9 O.E.# 480400



8836

12 Teeth CCW 3/8" Screw Mount
3.720 O.A.L. 1.810 O.D. 0.675 I.D.
O.E.# 59-181 ACC# 3-128



8836AC

12 Teeth CCW 3/8" Screw Mount
5.650 O.A.L. 1.810 O.D. 0.675 I.D.
O.E.# EB-96 ACC# 3-136AC



8837

14 Teeth CW 3/8" Screw Mount
3.720 O.A.L. 1.940 O.D. 0.625 I.D.
O.E.# 59-153 ACC# 3-131



8837C

14 Teeth CCW 3/8" Screw Mount
5.300 O.A.L. 1.940 O.D. 0.625 I.D.
O.E.# 59-153 ACC# 3-131C



8838

10 Teeth CW 3/8" Screw Mount
3.720 O.A.L. 1.560 O.D. 0.625 I.D.
O.E.# EBA-7 ACC# 3-135



8838C

10 Teeth CW 3/8" Screw Mount
5.300 O.A.L. 1.560 O.D. 0.625 I.D.
O.E.# EBA-7 ACC# 3-135C



8838AC

10 Teeth CW 3/8" Screw Mount
5.650 O.A.L. 1.560 O.D. 0.625 I.D.
O.E.# 59-63 ACC# 3-135AC



8838RC

10 Teeth CW 3/8" Screw Mount
3.700 O.A.L. 1.560 O.D. 0.625 I.D.
WAI# 54-143-9 O.E.# 480399



8841

12 Teeth CW 3/8" Screw Mount
3.720 O.A.L. 1.815 O.D. 0.625 I.D.
O.E.# EBA-11 ACC# 3-144



8841C

12 Teeth CW 3/8" Screw Mount
5.650 O.A.L. 1.815 O.D. 0.625 I.D.
O.E.# EBA-11 ACC# 3-144C



8841AC

12 Teeth CW 3/8" Screw Mount
5.320 O.A.L. 1.815 O.D. 0.625 I.D.
O.E.# EBA-24 ACC# 3-144AC



8956

13 Teeth CW 6 Splines Straight
7.375 O.A.L. 1.950 O.D.
O.E.# 59-104 ACC# 3-173



8872

12 Teeth CW 6 Splines Straight
3.290 O.A.L. 1.825 O.D. 0.625 I.D.
O.E.# 59-137 ACC# 3-196



8957

12 Teeth CW 6 Splines Straight
7.375 O.A.L. 1.830 O.D.
O.E.# 59-114 ACC# 3-174



8958

11 Teeth CW 6 Splines Straight
7.375 O.A.L. 2.230 O.D.
O.E.# 59-102 ACC# 3-175



8990

13 Teeth CW Keyed Shaft
7.300 O.A.L. 1.825 O.D.
O.E.# EBB-21A

1818 Madison Street, Maywood, Illinois 60153

1 800 621-3889 (708) • 343-4700 • FAX (708) 343-9425

www.starterdrives.com



INGERSOLL-RAND STARTER DRIVES



9009

12 Teeth CCW Keyed Shaft
8.625 O.A.L. 2.240 O.D.
O.E.# 20BM-299-3 FACET# A-3236



9035

12 Teeth CW Keyed Shaft
8.625 O.A.L. 2.240 O.D.
O.E.# 20BM-299-1 FACET# A-3111

LEECE -NEVILLE STARTER DRIVES



9032

12 Teeth CW Keyed Shaft
8.625 O.A.L. 2.240 O.D.
O.E.# 12734 FACET# 480206



M1PT

16 Teeth CW 19 Splines Straight
4.550 O.A.L. 0.840 O.D. 0.475 I.D.
WAI# 54-607 ACC# 4-1088

CHRYSLER STARTER DRIVES



4351

9 Teeth CW 3 Splines Spiral
3.010 O.A.L. 0.990 O.D. 0.475 I.D.
WAI# 54-302-1 ACC# 3-227



4352

9 Teeth CW 3 Splines Spiral
3.010 O.A.L. 0.990 O.D. 0.475 I.D.
ACC# 3-228



7° SPLINE ANGLE

4353

9 Teeth CW 3 Splines Spiral
2.980 O.A.L. 1.290 O.D. 0.475 I.D.
WAI# 54-301 ACC# 3-259



HR-1

2.060 O.A.L. CW 40 Spline Body Gear
HEAVY DUTY SPRAGG MECHANISM 2.120 BODY O.D.



4377

11 Teeth CW 19 Splines Spiral
1.600 O.A.L. 1.690 O.D. 0.475 I.D.
WAI# 54-169 ACC# 3-420



12° SPLINE ANGLE

4357

9 Teeth CW 3 Splines Spiral
2.980 O.A.L. 1.290 O.D. 0.475 I.D.
WAI# 54-300-9 ACC# 3-339



6636HD

9 Teeth CW Keyed Mound w/Screw
4.590 O.A.L. 1.165 O.D. 0.625 I.D.
ACC# 3-566



6638HD

9 Teeth CW Keyed Mound w/Screw
4.570 O.A.L. 0.990 O.D. 0.475 I.D.
ACC# 3-592



MISCELLANEOUS IMPORT & DOMESTIC STARTER DRIVE PINIONS



**NIPPONDENSO
G7301**

9 Teeth CW 18 Splines Straight
0.920 O.A.L. 1.140 O.D. 0.475 I.D.
WAI# 54-82201 ACC# 4-725



**NIPPONDENSO
G7301LH**

9 Teeth CCW 18 Splines Straight
0.920 O.A.L. 1.140 O.D. 0.475 I.D.
WAI# 54-82208 ACC# 4-747



**NIPPONDENSO
G7302**

10 Teeth CW 18 Splines Straight
0.920 O.A.L. 1.295 O.D. 0.475 I.D.
WAI# 54-82206 ACC# 4-791



**NIPPONDENSO
G82207**

13 Teeth CCW 18 Splines Straight
0.930 O.A.L. 1.575 O.D. 0.475 I.D.
WAI# 54-82207 ACC# 4-746



**NIPPONDENSO
G82213**

15 Teeth CW 18 Splines Straight
0.915 O.A.L. 1.725 O.D. 0.475 I.D.
WAI# 54-82213



**NIPPONDENSO
G82216**

0.925 Teeth CW 18 Splines Straight
0.925 O.A.L. 1.595 O.D. 0.475 I.D.
WAI# 54-82216 ACC# 4-1098



**NIPPONDENSO
GN11GR**

11 Teeth CW 18 Splines Straight
0.925 O.A.L. 1.150 O.D. 0.475 I.D.
WAI# 54-82203 ACC# 4-748



**NIPPONDENSO
GN11GR570**

11 Teeth CW 16 Splines Straight
1.425 O.A.L. 1.585 O.D. 0.475 I.D.
WAI# 54-82212 ACC# 4-803



**NIPPONDENSO
GN13GR570**

13 Teeth CW 16 Splines Straight
1.425 O.A.L. 1.555 O.D. 0.475 I.D.
WAI# 54-8202 ACC# 4-771



**NIPPONDENSO
GN9GRLUV**

9 Teeth CW 18 Splines Straight
0.920 O.A.L. 1.265 O.D. 0.475 I.D.
WAI# 54-82204 ACC# 4-749



**FORD
GN2200**

12 Teeth CW 18 Splines Straight
0.590 O.A.L. 1.255 O.D. 0.475 I.D.
WAI# 54-2200 ACC# 4-1051



**DELCO 40 & 42 MT
G4478PT-15**

11 Teeth CW 15 Ratchet Dentals
1.760 O.A.L. 2.230 O.D. 0.940 I.D.
WAI# 54-1202 FACET# 486009



**DELCO 40 & 42 MT
G4478PT-17**

11 Teeth CW Ratchet Dentals
1.760 O.A.L. 2.230 O.D. 0.940 I.D.
WAI# 54-1203



**DELCO 40 & 42 MT
G4479PT-15**

12 Teeth CW 15 Ratchet Dentals
1.760 O.A.L. 1.820 O.D. 0.940 I.D.
WAI# 54-1204



**DELCO 40 & 42 MT
G4479PT-17**

12 Teeth CW 17 Ratchet Dentals
1.760 O.A.L. 1.820 O.D. 0.940 I.D.
WAI# 54-1205 FACET# 472006



**DELCO 40 & 42 MT
G4486PT-15**

13 Teeth CW 15 Ratchet Dentals
1.760 O.A.L. 1.940 O.D. 0.940 I.D.
WAI# 54-1206 FACET# 492009



**DELCO 41 MT
G4498PT15**

11 Teeth CW 15 Ratchet Dentals
1.450 O.A.L. 2.230 O.D. 0.940 I.D.



**DELCO 41 MT
G4499PT15**

12 Teeth CW 15 Ratchet Dentals
1.450 O.A.L. 1.820 O.D. 0.940 I.D.



**DELCO 25, 30 & 35 MT
G2216PT SPNIP**

10 Teeth CCW 14 Ratchet Dentals
1.135 O.A.L. 1.570 O.D. 0.560 I.D.



**DELCO 25, 30 & 35 MT
G4436PT SPNIP**

10 Teeth CW 14 Ratchet Dentals
1.135 O.A.L. 1.570 O.D. 0.560 I.D.



**DELCO 37 MT
G4400PT**

10 Teeth CW 17 Ratchet Dentals
1.225 O.A.L. 1.570 O.D. 0.560 I.D.
WAI# 54-1206 FACET# 492009



**DELCO 37 MT
G4401PT**

12 Teeth CW 17 Ratchet Dentals
1.225 O.A.L. 1.570 O.D. 0.560 I.D.



**DELCO 35 MT
G2376 OE**

12 Teeth CW 15 Ratchet Dentals
1.450 O.A.L. 1.820 O.D. 0.940 I.D.



**DELCO 40 MT
G2225**

12 Teeth CCW 15 Ratchet Dentals
2.070 O.A.L. 1.825 O.D. 0.940 I.D.



**HITACHI HIGH PERFORMANCE
GS7401**

9 Teeth CW 10 Splines Spiral
4.450 O.A.L. 0.990 O.D.
USED IN 7401 & 7401SP